

Ofloxacin Ophthalmic Solution, USP 0.3%

1. <u>Identification</u>

2.

Product Identifier:	Ofloxacin Ophthalmic Solution, USP 0.3%	
Synonyms:	7H-Pyrido [1,2,3-de]-1,4-benzoxazine-6-carboxylic acid,9-fluoro-2,3-dihydro-3-methyl-10-(4-methyl-1- piperazinyl)-7-oxo-, (+/-)-	
National Drug Code (NDC):	NDC: 70069-411-01	
Recommended Use:	Pharmaceutical.	
Details of the supplier of the Safety data Manufactured for:	sheet Somerset Therapeutics LLC, Somerset, NJ 08873	
Customer Care:	1-800-417-9175	
Hazard(s) Identification		
Physical Hazards:	Not classifiable.	
Health Hazards:	Not classifiable.	
Symbol(s):	None.	
Signal Word:	None.	
Hazard Statement(s):	None.	
Precautionary Statement(s): Hazards Not Otherwise Classified:	None. Not classifiable.	
nazarus Not Otherwise Classified:	not classifiable.	

While this material is not classifiable as hazardous under the OSHA standard, this SDS contains valuable information critical to safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.

3. <u>Composition/Information on Ingredients</u>

Supplementary Information:

Chemical Name	CAS Number	Synonyms	Chemical Formula	Molecular Weight	Percentage
Ofloxacin	82419-36-1	7H-Pyrido [1,2,3-de]-1,4-benzoxazine- 6- carboxylic acid, 9-fluoro-2,3-dihydro- 3-methyl- 10-(4-methyl-1-piperazinyl)-7-oxo-, (+/-)-	C ₁₈ H ₂₀ FN ₃ O ₄	361.37	0.3%

*The formula also contains Benzalkonium Chloride NF 0.005% as preservative; Sodium Chloride and Water for injection. May also contain Hydrochloric Acid, NF to and/or Sodium Hydroxide, NF to adjust pH.



Ofloxacin Ophthalmic Solution, USP 0.3%

4. <u>First Aid Measures</u>

Ingestion:	If a person vomits place them in the recovery position so that vomit will not reenter the mouth and throat. Rinse mouth with water. If swallowed, seek medical advice immediately and show the container or label. Treat symptomatically and supportively. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.
Eye Contact:	Remove from source of exposure. Flush with copious amounts of water for at least 15 minutes. If irritation persists or signs of toxicity occur, seek medical attention. Provide symptomatic/supportive care as necessary. Ensure that medical personnel are aware of the material(s) involved and are aware of precautions to protect themselves.
Skin Contact:	Remove from source of exposure. Remove and isolate contaminated clothing and shoes. Flush with copious amounts of water for at least 20 minutes. Use soap. If irritation persists or signs of toxicity occur, seek medical attention. Provide symptomatic/supportive care as necessary. Ensure that medical personnel are aware of the material(s) involved and are aware of precautions toprotect themselves.
Inhalation:	Remove from source of exposure. Move individual(s) to fresh air. Give artificial respiration if individual(s) are not breathing and call emergency medical service. If signs of toxicity occur, seek medical attention. Provide symptomatic/supportive care as necessary. Ensure that medical personnel are aware of the material(s) involved and are aware of precautions to protect themselves.
Protection of First-Aiders:	Use personal protective equipment (see section 8).
Signs and Symptoms:	Not determined. See package insert for more information.
Medical Conditions Aggravated by Exposure:	The systemic administration of quinolones, including ofloxacin, has led to lesions or erosions of the cartilage in weight-bearing joints and other signs of arthropathy in immature animals of various species. Ofloxacin, administered systemically at 10mg/kg/day in young dogs (equivalent to 110 times the maximum recommended daily adult ophthalmic dose) has been associated with these types of effects. Quinolones, including ofloxacin, have been shown to cause arthropathy in immature animals after oral administration; however, topical ocular administration of ofloxacin to immature animals has not shown any arthropathy. There is no evidence that the ophthalmic dosage form of ofloxacin has any effect on weight bearing joints.
Notes to Physician:	Treat supportively and symptomatically.

Somerset Therapeutics, LLC. Somerset, NJ 08873 Page 2 of 9



Ofloxacin Ophthalmic Solution, USP 0.3%

5. <u>Firefighting Measures</u>

6.

7.

Flammability:	Not determined.	
Suitable Extinguishing Media:	Use extinguishing media suitable for surrounding materials such as dry chemical, carbon dioxide, halon, wat spray or fog, and foam.	
Unsuitable Extinguishing Media:	Not determined.	
<u>Specific Hazards Arising from the Ch</u>	<u>emical:</u>	
Hazardous Combustion Products:	Products of combustion may be toxic.	
Other Specific Hazards:	Not determined.	
Special Protective Equipment/ Precautions for Firefighters: protective gear.	Wear self-contained breathing apparatus and full and	
Accidental Release Measures		
Personal Precautions:	Use personal protective equipment recommended in Section 8 of this document and isolate the hazard area.	
Personal Protective Equipment:	For personal protection see section 8.	
Methods for Cleaning Up:	Spills may be absorbed with a wet disposable towel or other suitable adsorbent. Carefully collect and place suitable, properly labeled container for disposal. Clean using soap and water.	
Environmental Precautions:	Product as administered to patients presents a negligible impact on the environment.	
Reference to Other Sections:	Refer to Sections 8, 12 and 13 for further information.	
Handling and Storage		
Precautions for Safe Handling:	Avoid contact with product and use caution to prevent puncturing containers. No special protective equipment procedures are required in the clinical or home environme Wash thoroughly after handling. Contaminated clothing should be laundered before reus Handle in accordance with product label and/or produ insert information. Handle in accordance with goo industrial hygiene and safety practices.	
Conditions for Safe Storage, Including Any Incompatibilities:	Store the product in original container with the cap tightly closed at a controlled room temperature 15°C – 25°C (59 – 77°F). KEEP THIS AND ALL DRUGS OUT OF TH REACH OF CHILDREN. Store according to label and product insert information. Store away from oxidizi agents and acids.	
Somerset The	rapeutics, LLC. Somerset, NJ 08873	



Ofloxacin Ophthalmic Solution, USP 0.3%

Specific End Use:

9.

Pharmaceuticals.

8. <u>Exposure Controls/Personal Protection</u>

Flammability Limit - Upper:

Vapor Pressure:

Occupational Exposure Guidelines:

Common or Chemical Name	Employee Exposure Limits
Ofloxacin	Not established.
Engineering Controls:	Engineering controls should be used as the primary means to control exposures.
Respiratory Protection:	Where respirators are deemed necessary to reduce or control occupational exposures, use NIOSH-approved respiratory protection and have an effective respirator program in place (applicable U.S. regulation OSHA 29 CFR 1910.134).
Eyes Protection:	Not required for the normal use of this product. Safety glasses with side shields are recommended. Face shields or goggles may be required if splash potential exists or if corrosive materials are present. Approved eye protection (e.g., bearing the ANSI Z87 or CSA stamp) is preferred. Maintain eyewash facilities in the work area.
Hand Protection:	Not required for the normal use of this product. Chemically compatible gloves. For handling solutions, ensure that the glove material is protective against the solvent being used. Use handling practices that minimize direct hand contact. Employees who are sensitive to natural rubber (latex) should use nitrile or other synthetic non-latex gloves. Use of powdered latex gloves should be avoided due to the risk of latex allergy.
Skin Protection:	Not required for the normal use of this product. Wear protective laboratory coat, apron, or disposable garment when working with large quantities.
Physical and Chemical Properties	
Physical State/Color:	Clear, colorless to pale yellow or greenish yellow color solution, free from visible extraneous matter
Odor:	No data available.
Odor Threshold:	No data available.
pH:	6.20 - 6.60.
Melting Point:	No data available.
Freezing Point:	No data available.
Boiling Point:	No data available.
Flash Point:	No data available.
Evaporation Rate:	No data available. No data available.
Flammability (solid, gas): Flammability Limit - Lower:	No data available.
Flammability Limit - Lower:	

Somerset Therapeutics, LLC. Somerset, NJ 08873 Page 4 of 9

No data available.

No data available.



Ofloxacin Ophthalmic Solution, USP 0.3%

	Onoxaciii Opiitiiaii	
	Vapor Density:	No data available.
	Relative Density:	No data available.
	Solubility(ies):	Completely miscible.
	Partition Coefficient	
	(n-octanol/water):	No data available.
	Auto-Ignition Temperature:	No data available.
	Decomposition Temperature:	No data available.
	Viscosity:	Aqueous.
	Volatile Component:	Less than 1%.
10.	Stability and Reactivity	
	Reactivity:	No data available.
	Chemical Stability:	Stable under recommended storage conditions.
	Possibility of Hazardous Reactions:	No data available.
	Conditions to Avoid (e.g., static	
	discharge, shock, or vibration):	Extreme heat or cold.
	Incompatible Materials:	Similar to water; e.g. strong acids, base, alkali metals, alkali hydrides and silver preparations.
	Hazardous Decomposition	
	Products:	Products of combustion may be toxic.
	Hazardous Polymerization:	Will not occur.
11.	Toxicological Information	
	Information on the Likely Routes of Ex	<u>kposure:</u>
	Toxicity:	Ofloxacin may be irritating to the eye/nose/throat cause asthenia, malaise, seizures, anxiety, cog change, vertigo, cough, bronchospasm, tachyca syncope, hepatic dysfunction, kidney dysfunction, hypersensitivity reactions.

Toxicity:	Ofloxacin may be irritating to the eye/nose/throat and cause asthenia, malaise, seizures, anxiety, cognitive change, vertigo, cough, bronchospasm, tachycardia, syncope, hepatic dysfunction, kidney dysfunction, and hypersensitivity reactions.	
Inhalation:	May irritate the respiratory system.	
Ingestion:	No data available.	
Skin Contact:	Ofloxacin should be discontinued at the first appearance of a skin rash or any other sign of hypersensitivity reaction.	
Eye Contact:	May cause eye irritation.	
Symptoms Related to the Physical, Chemical and Toxicological		
Characteristics:	See Section 4. To the best of our knowledge, the chemical, physical and toxicological properties have not been thoroughly investigated.	

Somerset Therapeutics, LLC. Somerset, NJ 08873 Page 5 of 9



SAFETY DATA SHEET

Ofloxacin Ophthalmic Solution, USP 0.3%

Delayed and Immediate Effects of

Exposure:

No data available.

Acute Toxicity:

Compound	Species	Route	Туре	Dose
Ofloxacin	Male Rats	Oral	LD ₅₀	3,590 mg/kg
Ofloxacin	Female Rats	Oral	LD ₅₀	3,750 mg/kg
Ofloxacin	Male Mice	Oral	LD ₅₀	5,450 mg/kg
Ofloxacin	Female Mice	Oral	LD ₅₀	5,290 mg/kg
Ofloxacin	Male	Oral	LD _{Lo}	17 mg/kg/d
Ofloxacin	Female	Oral	LD _{Lo}	24 mg/kg/d
Ofloxacin	Male Rats	Intravenous	LD ₅₀	273 mg/kg
Ofloxacin	Female Rats	Intravenous	LD ₅₀	276 mg/kg
Ofloxacin	Male Mice	Intravenous	LD ₅₀	280 mg/kg
Ofloxacin	Female Mice	Intravenous	LD ₅₀	233 mg/kg
Ofloxacin	Male Rats	Subcutaneous	LD ₅₀	7,070 mg/kg
Ofloxacin	Female Rats	Subcutaneous	LD ₅₀	9,000 mg/kg
Ofloxacin	Male Mice	Subcutaneous	LD ₅₀	10,000 mg/kg
Ofloxacin	Female Mice	Subcutaneous	LD ₅₀	10,000 mg/kg

Reproductive Toxicity – Embryotoxicity:

Compound	Species	Dose	Effect(s)
Ofloxacin	Rats	160 mg/kg/d	Embryotoxicity/ Not Teratogenic
Ofloxacin	Rabbits	810 mg/kg/d	Embryotoxicity/ Not Teratogenic

Acute Toxicity – Dermal: Acute Toxicity – Inhalation: Corrosivity: Dermal Irritation: Eye Irritation: Sensitization: Toxicokinetics/Metabolism: Target Organ Effects: Reproductive Effects:	No data available. No data available. No data available. No data available. No data available. No data available. No data available. None. No data available.
Carcinogenicity:	Long-term studies to determine the carcinogenic potential of Ofloxacin have not been conducted.
National Toxicology Program (NTP):	Not considered to be a carcinogen.
International Agency for Research on Cancer (IARC):	Not considered to be a carcinogen.
Occupational Safety and Health Administration (OSHA):	Not considered to be a carcinogen.
Mutagenicity:	Ofloxacin was not mutagenic in the Ames test, in vitro and in vivo cytogenic assay, sister chromatid exchange assay (Chinese hamster and human cell lines), unscheduled DNA synthesis (UDS) assay using human fibroblasts, the dominant lethal assay, or mouse micronucleus assay. Ofloxacin was positive in the UDS test using rat hepatocyte, and in the mouse lymphoma assay.



Ofloxacin Ophthalmic Solution, USP 0.3%

Fertility:	In fertility studies in rats, Ofloxacin did not affect male or female fertility or morphological or reproductive performance at oral dosing up to 360 mg/kg/day (equivalent to 4000 times the maximum recommended daily ophthalmic dose).
Pregnancy:	Pregnancy category C Ofloxacin has been shown to have an embryocidal effect in rats and in rabbits when given in doses of 810 mg/kg/day (equivalent to 9000 times the maximum recommended daily ophthalmic dose) and 160 mg/kg/day (equivalent to 1800 times the maximum recommended daily ophthalmic dose). These dosages resulted in decreased fetal body weight and increased fetal mortality in rats and rabbits, respectively. Minor fetal skeletal variations were reported in rats receiving doses of 810 mg/kg/day. Ofloxacin has not been shown to be teratogenic at doses as high as 810 mg/kg/day and 160 mg/kg/day when administered to pregnant rats and rabbits, respectively.
Nursing Mothers:	In nursing women a single 200mg oral dose resulted in concentrations of Ofloxacin in milk which were similar to those found in plasma. It is not known whether Ofloxacin is excreted in human milk following topical ophthalmic administration. Because of the potential for serious adverse reactions from Ofloxacin in nursing infants, a decision should be made whether to discontinue nursing or to discontinue the drug, taking into account the importance of the drug to the mother.
Drug Interactions:	Specific drug interaction studies have not been conducted with Ofloxacin ophthalmic solution. However, the systemic administration of some quinolones has been shown to elevate plasma concentrations of theophylline, interfere with the metabolism of caffeine, and enhance the effects of the oral anticoagulant warfarin and its derivatives, and, has been associated with transient elevations in serum creatinine in patients receiving cyclosporine concomitantly.
Aspiration Hazard:	No data available.
Ecological Information	
<u>Ecotoxicity</u>	
Aquatic:	No data available.
Terrestrial:	No data available.
Persistence and Degradability:	No data available.
Bioaccumulative Potential:	No data available.
Mobility in Soil:	No data available.
Mobility in Environment:	No data available.

12.

Terrestrial:
Persistence and Degradability:
Bioaccumulative Potential:
Mobility in Soil:
Mobility in Environment:
Other Adverse Effects:

No data available.



Ofloxacin Ophthalmic Solution, USP 0.3%

13. <u>Disposal Considerations</u>

Dispose of all waste in accordance with Federal, State and Local regulations.

14. <u>Transport Information</u>

15.

UN Number: UN Proper Shipping Name: Transport Hazard Class(es): Packing Group:	Not applicable. Not applicable. Not applicable. Not applicable.
Department of Transportation:	Not regulated as a hazardous material.
International Air Transport Association (IATA):	Not regulated as a dangerous good.
International Maritime Dangerous Good (IMDG):	Not regulated as a dangerous good.
Regulatory Information	
US Federal Regulations:	
Toxic Substance Control Act (TSCA):	Not listed.
CERCLA Hazardous Substance and Reportable Quantity:	Not listed.
SARA 313: SARA 302:	Not listed. Not listed.
State Regulations	
California Proposition 65:	Not listed.

SAFETY DATA SHEET Ofloxacin Ophthalmic Solution, USP 0.3%



16. <u>Other Information</u>

Not made with natural rubber latex.

Prepared By: Somerset Therapeutics Limited

Revision Date: 02.08.2024

Revision Number: 00

Disclaimer: This document is generated to distribute health, safety and environmental data. It is not a specification sheet and none of the displayed data should be construed as a specification. Information on this SDS sheet was obtained from sources which we believe are reliable, and we believe that the information is complete and accurate. However, the information is provided without any warranty, express or implied, regarding its correctness. Some of the information presented and conclusions drawn are from sources other than direct test data of the substance. The conditions or methods of handling, storage, use and disposal of the product are beyond our control and may also be beyond our knowledge. It is the user's responsibility to determine the suitability of any material for a specific purpose and to adopt such safety precautions as may be necessary. If the product is used as a component in another product, this SDS information may not be applicable. For these reasons, we do not assume any responsibility and expressly disclaim liability for any loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of this product.

End of the Safety Data sheet