Pemetrexed 100 mg Carton - ANDA

Size: 40 mm x 40 mm x 65 mm (LxWxH)

Colours:

Pantone 1575 C

Pantone 300 C

Black

16iv/gm 00 F

10 (noitoe) Pemetrexed for

Discard Unused Portion Single-Dose Vial LO-428-69004 20N

1200030365

V00

Pemetrexed for Injection, USP

Usual Dosage: See accompanying literature for dosage.

Storage: Store powder at 25°C (77°F); excursions permitted to 15-30°C (59-86°F) [see USP Controlled Room Temperature].

Store reconstituted and infusion solutions at refrigerated, 2-8°C (36-46°F).

Caution: Cytotoxic Agent



Pemetrexed for Injection, USP

Each vial contains pemetrexed disodium equivalent to 100 mg pemetrexed, 106 mg of mannitol. Hydrochloric acid and/or sodium hydroxide may have been added to adjust pH.

To Reconstitute: Add 4.2 mL of 0.9% Sodium Chloride Injection, USP (preservative free) to make a solution containing 25 mg/mL pemetrexed. Reconstituted solution must be further diluted before use (see accompanying literature).

Administer infusion solution within 24 hours after initial reconstitution. Discard unused portion.

Pemetrexed for Injection, USP

NDC 70069-834-01

100 mg/vial

For intravenous use only.

Rx only

Single-Dose Vial Discard Unused Portion



Serialization **FPO**

Code No.: MH/DRUGS/28-KD/476

UV area 40mm x 45mm

Somerset ::::::::

Manufactured for: Somerset Therapeutics, LLC. Somerset, NJ 08873

Made in India

